

FEATURES

- Foam clings to vertical surfaces minimizing wasteful run-off
- Contains no chlorine, hydrochlorine, sulfuric, phosphoric or other harmful mineral acids
- Removes dirt, soap scum, stains caused by mildew, mold or algae
- Also removes oxidation, corrosion, urine, salts, light rust, lime, calcium and iron deposits
- Do not contain chlorine nor hydrochloric, sulfuric, phosphoric, or other harmful mineral acids

APPLICATIONS

- Grout
- Rubber
- Plastic
- Brass
- Copper
- Painted Metals
- Chrome Fixtures
- Fittings & Equipment
- Imitation Marble
- Anodized Metals
- Stainless Steel
- Ceramic Tile
- Fiberglass



DIRECTIONS

Lightly spray foam on surface, allow to sit 5-10 seconds, permitting product to attack contaminants. Wipe surface, and rinse well. Repeat if necessary.

HANDLING

Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling. Wear protective gloves, protective clothing, eye protection, face protection.

STORAGE

Store locked up.

DISPOSAL INFORMATION

Dispose of contents/container to an approved waste disposal plant.

PROPERTIES

Appearance/physical state	Liquid		
Odor	Pine		
Melting point/freezing point	N/A		
Boiling point/range	100°C / 212°F		
Vapor pressure	N/A		
Partition coefficient	N/A		
Flammability limit	Not flammable (N/A)		
VOC Content	1.00%		
Color	Yellow		
Evaporation rate	N/A		
Vapor density	> 1 (air = 1)		
Viscosity	2.5 cps		
Specific Gravity (water=1)	1.011 @ 70°F		
рН	1.3		

AVAILABLE PRODUCTS

Part No.	Net Contents	Container Type	Units/Case	Case Weight
33732	32 fl. oz. (946.4 mL)	bottle	12	29 lbs.

