**Dymon**<sup>®</sup> **THE END.™ Dry Fog™** Flying Insect Killer

#### **FEATURES**

- Kills flies, mosquitoes, gnats, midges, wasps, hornets and flying moths(Millers)
- Water-Based Insecticide

### **APPLICATIONS**

- Schools
- Hospitals
- Institutions • Food Plants
- Dairies Restaurants
  - Drugstores
  - Apartments
- Hotels & Motels • Office Buildings
- Supermarkets
- Theaters



#### PROPERTIES

Appearance/physical state	Liquid/Aerosol			
Odor	Fruit-like			
Melting point/freezing point	Undetermined			
Boiling point/range	99°C (210°F)			
Vapor pressure	50 - 70 psig @ 21°C (70°F)			
Partition coefficient	Not determined			
Flammability (solid, gaseous)	Not applicable			
Propellant	Propane/Isobutane blend			
VOC Content	20%			
Color	White			
Flash point	Not applicable, as aerosol			
Relative density	Not determined			
Evaporation rate	Not applicable			
Vapor density	> 1 (Air=1)			
Auto-ignition temperature	Product is not self-igniting			
Viscosity	Not determined			
Density @ 20°C (68°F)	0.928 - 0.948 g/cm (7.744 - 7.911 lbs/gal)			

#### **AVAILABLE PRODUCTS**

Part No.	Net Contents	Container Type	Units/Case	Case Weight
45120	14 oz. (397 g)	aerosol	12	15 lbs.



**CONTACT YOUR ITW PRO BRANDS REPRESENTATIVE TODAY!** 

800.241.8334 | www.itwprobrands.com

LPS®, SCRUBS®, DYKEM®, Accu-Lube®, DYMON®, Spray Nine®, and Cedar® are registered trademarks and Rustlick™, Diamondkote™, and MetalMates™ are trademarks of Illinois Tool Works • All Rights Reserved

THE END.<sup>™</sup> Dry Fog<sup>™</sup> Flying Insect Killer

## **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. SHAKE BEFORE USING AND AT INTERVALS DURING PROLONGED USE. Hold container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics or surfaces, do not spray at close range. Flies, Mosquitoes, Gnats, Midges, Wasps, Hornets and Flying Moths(Millers): Close all doors and windows and spray room at a rate of 1 second per 1000 cubic feet. Direct spray to all parts of room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment. Repeat treatment as necessary.

## **PRECAUTIONARY STATEMENTS**

Hazards To Humans & Domestic Animals. CAUTION. Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. Vacate premises after treatment and ventilate before reoccupying. Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in food processing plants, wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets and birds, and cover fish aquariums before spraying. ENVIRONMENTAL HAZARDS: This product is toxic to fish and other aquatic invertebrates. Do not apply directly to water. PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. RESTRICTIONS: Do not apply this product in any way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For space spray use: Do not remain in treated area. Exit area immediately and remian outside the treated area until aerosols, vapors, and/or mists have dispersed. Do not enter or allow others to enter until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated. For indoor applications: Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use. Do not use in aircraft cabins. For use in dairy barns or facilities: Close milk bulk lids to prevent contamination from spray and from dead or falling insects. Remove or cover miling utensils before application. Wash teats of animals before milking. For use in food handling and processing facilites: Do not make space spray applications when facility is in operation. Prior to space spray applications, cover or remove food. Prior to space spray applications, cover food processing surfaces or clean after treatment and before use. For use around or near floor drains: Do not apply directly into sewers or drains, or to any area like a gutter where drainage to storm sewers, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application. Do not apply directly to food. Remove pets and birds, and cover fish aquariums before spraying. PERSONAL PROTECTION EQUIPMENT (PPE): All handlers must wear long sleeved shirt, long pants, shoes and socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. USER SAFETY RECOMMENDATIONS: User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothes.

# **FIRST AID**

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing and wash before reuse. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Take off contaminated clothing and wash before reuse. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

# STORAGE AND DISPOSAL

STORAGE: Store in a cool dry area away from heat or open flame. DISPOSAL: Do Not puncture or incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Buyer assumes all risk of use, storage or handling of this product not in strict accordance with directions given herewith.

