DESCRIPTION

Triadine® 20 Industrial Microbiostat is used in troubleshooting Rustlick™ brand products.

FEATURES

- Non-chlorinated
- · Safe for use on Titanium
- Suitable for use in Aerospace

STORAGE

Do not store above 100°F. (38°C.). Keep container tightly closed when not in use. Do not store with strong oxidizing agents or strong (concentrated) acids.

DISPOSAL

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container promptly after emptying. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

HANDLING

Do not store or mix with strong oxidizing agents or strong (concentrated) acids. In case of contamination, do not reseal container. If possible, isolate container in open air or well-ventilated area. Fumes caused by contamination may be hazardous.



PROPERTIES

Appearance / Physical State	Amber liquid
pH Value	9.5 - 11
Boiling Point / Range	215.6°F (102°C)
Vapor Pressure	10.9 mm Hg @ 25°C
Water Solubility	Complete
Density	9.75 lb/gal @ 25°C

SHELF LIFE INFORMATION

1 year



